



04-2019-USA

Table of contents


TS 510, TS 760	4
Crankcase	7
Crankcase → X 23 529 742, X 23 531 439 (27.91)	10
Cylinder	12
Muffler	15
Coupling, Cast arm	17
Rewind starter	19
Ignition system	22
Throttle control	25
Filter housing, Air filter	28
Carburetor HS-277	30
Carburetor HS-212 → X 24 097 470 (26.96)	32
Carburetor HS-280, HS-281	34
Shroud, Handle frame	37
Support with guard	40
Water attachment	43
Pressurized water tank	45
Pressurized water tank (28.2010)	47
Cutquik cart, Splash guard	49
Guide wheel kit, Wheel kit	51
Stop depth wheel, Cart for cutquik	53
Water tank	55
Tools	57
Rewind starter friction shoe → X 6 745 960 (30.80)	59
Pressurized water tank (23.96)	61
Support with guard (38.1995)	63
Water attachment (38.1995)	66




Crankcase




Crankcase → X 23 529
742, X 23 531 439 (27.91)




Cylinder




Muffler




Coupling, Cast arm




Rewind starter




Ignition system




Throttle control




Filter housing, Air filter




Carburetor HS-277




Carburetor HS-212 → X 24
097 470 (26.96)




Carburetor HS-280,
HS-281




Shroud, Handle frame




Support with guard




Water attachment




Pressurized water tank




Pressurized water tank
(28.2010)




Cutquik cart, Splash guard




Guide wheel kit, Wheel kit




Stop depth wheel, Cart for
cutquik




Water tank




Tools




Rewind starter friction shoe → X 6 745 960 (30.80)



Pressurized water tank (23.96)




Support with guard (38.1995)



Water attachment (38.1995)

TS 510, TS 760

Description
Crankcase
Crankcase → X 23 529 742, X 23 531 439 (27.91)
Cylinder
Muffler
Coupling, Cast arm
Rewind starter
Ignition system
Throttle control
Filter housing, Air filter
Carburetor HS-277
Carburetor HS-212 → X 24 097 470 (26.96)
Carburetor HS-280, HS-281
Shroud, Handle frame
Support with guard
Water attachment
Pressurized water tank
Pressurized water tank (28.2010)
Cutquik cart, Splash guard
Guide wheel kit, Wheel kit
Stop depth wheel, Cart for cutquik
Water tank
Tools
Rewind starter friction shoe → X 6 745 960 (30.80)
Pressurized water tank (23.96)
Support with guard (38.1995)
Water attachment (38.1995)



Crankcase


Reference	Item number	Qty	Description	Contains	Technical Information
1	4205 020 2102	1	Crankcase (1)	4 - 14	
2	4205 020 2103	1	Crankcase (2)	4 - 14	
3	4205 020 2104	1	Crankcase for TS 760 with Ø 400 mm / 16" guard (2)	4 - 14	
4	9371 470 3120	2	Cylindrical pin 6x20		
5	9022 341 1010	10	Spline screw IS-M5x18		
6	9456 621 4910	1	Circlip 47x1.75		
7	9503 003 0543	1	Grooved ball bearing 6204		
8	9503 003 0443	1	Grooved ball bearing 6203		
9	4201 708 8403	2	Hexagon head screw M10x40		
10	4205 647 9100	2	Grommet		
11	4205 350 5800	1	Tank vent	12	
12	1120 358 8105	1	Vent insert		
13		1	Hose 3.1x5.7x325 mm, R3 (D)		
	0000 930 2803	1	Hose 3.1x5.7 mm x 1 m, R3 (B)		
	0712 923 8004	1	Hose 3.1x5.7 mm x 10 m, R3 (B)		
14	4205 141 8602	1	Hose 200 mm / 7 7/8"		
15	9629 003 2900	1	Oil seal 25x47x7		
16	9640 003 1570	1	Oil seal 15x24x7		
17	1111 084 6600	1	Insert		
18	1111 029 0501	1	Gasket		
19	1111 030 0402	1	Crankshaft	20	25.2005
20	1120 036 8500	1	Woodruff key 2x3.7		
21	9512 003 3440	1	Needle cage 13 x17x17.5		
22	4205 122 2500	1	Hose clip		
23	4205 350 0550	1	Filler cap	24, 25	
24	0000 992 6302	1	Sealing ring		
25	4205 353 2300	1	Cap		
26	9027 068 1480	1	Flat head screw M6x75		
27	1111 790 9900	2	Annular buffer		
28	1111 791 2700	1	Tube		
29	1111 791 5400	1	Support		
30	9022 341 1010	2	Spline screw IS-M5x18		
31	9214 320 0900	1	Lock nut M6		
32	1111 648 7700	1	Cover		
	1111 007 1050	1	Set of gaskets (1)	15, 16, 18	

(1) TS 510, (2) TS 760

Crankcase

Reference	Item number	Qty	Description	Contains	Technical Information
	1111 007 1052	1	Set of gaskets available in Brazil only (1)	18	
	1111 007 1051	1	Set of gaskets (2)	15, 16, 18	


(1) TS 510, (2) TS 760



328ET066 SC

Crankcase → X 23 529 742, X 23 531 439 (27.91)

Reference		Item number	Qty	Description	Contains	Up to	Technical Information
1	*	1111 020 2102	1	Crankcase (1)		23531439	
2	*	1111 020 2116	1	Crankcase (2)		23529742	
3	*	4205 647 1200	1	Cover		23529742	
4	*	1108 649 5000	2	Sealing ring 5x8.3x4.3		23529742	
5	*	9079 216 0660	2	Flat head screw M4x12		23529742	
6	*	0000 951 7102	1	Screw plug M12		23529742	
7	*	9636 965 1160	1	Sealing ring 12x16		23529742	
8	*	4205 647 7001	1	Plug		23529742	
9	*	9646 945 0490	1	O-ring 7x1.5		23529742	
10	*	9092 216 0670	1	Flat head screw M5x10		23529742	
11	*	1111 647 9000	1	Rubber ring		23529742	
12	*	4205 647 7000	1	Plug		23529742	
13	*	9456 621 2440	1	Circlip 22x1		23529742	
14	*	1111 647 7000	1	Plug		23529742	
15	*	9048 319 0660	1	Pan head screw M4x12		23529742	
16	*	9007 319 2450	1	Hexagon head screw M10x45		23529742	
17	*	4205 007 1061	1	Filler cap kit	18 - 20	24097470	26.1996
18	*	0000 992 6302	1	Sealing ring		24097470	26.1996
19	*	0000 951 5815	1	Grub screw 1/4"		24097470	26.1996
20	*	4205 353 2300	1	Cap		24097470	26.1996
21	*	1124 791 7303	1	Plug		24097470	26.1996
22	*	9302 929 0840	1	Plug 8 (2)		17609548	



328ET067 SC

Cylinder


Reference	Item number	Qty	Description	Contains	Up to	Technical Information
1	1111 029 2300	1	Cylinder gasket (1)			
2	1111 020 1200	1	Cylinder with piston Ø 52 mm (1)	3 - 7		
3	1111 030 2000	1	Piston Ø 52 mm (1)	4 - 6		
4	1115 034 3001	2	Piston ring Ø 52x1.5 mm (1)			
5	1111 034 1501	1	Piston pin 13x8x39 (1)			
6	9462 650 1300	2	Snap ring 13			
7	* 1111 025 2200	1	Plug (1)		24093968	26.1996
8	1111 020 9400	1	Decompression valve (1)	9		
9	9636 003 0420	1	Sealing ring 6.5x9.5			
10	9036 371 1020	4	Socket head screw M5x20 (1)			
11	4205 020 1201	1	Cylinder with piston Ø 52 mm USA (1)	3 - 7		
12	1111 029 2301	1	Cylinder gasket (2)			
13	1111 020 1206	1	Cylinder with piston Ø 58 mm (2)	6, 14 - 16		
14	1111 030 2002	1	Piston Ø 58 mm (2)	6, 15, 16		
15	1111 034 3006	2	Piston ring Ø 58x1.5 mm (2)			
16	1111 034 1500	1	Piston pin 13x8x44 (2)			
17	1124 020 9400	1	Decompression valve (2)			
18	9022 313 0935	1	Spline screw IS-M5x8 (2)			
19	0000 953 1009	4	Stud (2)			
20	9291 021 0140	4	Washer 6.4 (2)			
21	9210 319 0900	4	Hexagon nut M6 (2)			
22	4205 020 1200	1	Cylinder with piston Ø 58 mm USA (2)	6, 14 - 16		
23	4205 084 1600	1	Cover USA			
24	1110 400 7005	1	Spark plug Bosch WSR 6 F			
24	0000 400 7000	1	Spark plug NGK BPMR7A			

(1) TS 510, (2) TS 760

Cylinder

Reference	Item number	Qty	Description	Contains	Up to	Technical Information
25	0000 998 0603	1	Torsion spring			
26	1106 405 1000	1	Spark plug boot			
	1111 007 1050	1	Set of gaskets (1)	1		
	1111 007 1052	1	Set of gaskets available in Brazil only (1)	1		
	1111 007 1051	1	Set of gaskets (2)	12		


(1) TS 510, (2) TS 760



328ET068 SC

Muffler

Reference	Item number	Qty	Description	Contains	Up to	Technical Information
1	1111 149 0600	1	Muffler gasket (1)			
2	1111 140 0613	1	Muffler (1)			
3	4205 140 0601	1	Muffler USA (1)	5, 6		
4	* 1111 140 0609	1	Muffler USA, CDN (1)	5, 6	24097470	26.1996
5	1111 141 9005	1	Screen			
6	9099 021 0810	1	Self-tapping screw 4.2x9.5			
7	9022 341 1010	2	Spline screw IS-M5x18			
8	1111 149 0602	1	Muffler gasket (2)			
9	1111 140 0614	1	Muffler (2)			
10	4205 140 0602	1	Muffler USA (2)	5, 6		
11	* 1111 140 0610	1	Muffler USA, CDN (2)	5, 6	24097470	26.1996
	1111 007 1050	1	Set of gaskets (1)	1		
	1111 007 1052	1	Set of gaskets available in Brazil only (1)	1		
	1111 007 1051	1	Set of gaskets (2)	8		




328ET069 SC

Coupling, Cast arm

Reference	Item number	Qty	Description	Contains	Up to	Technical Information
1	4205 162 8200	1	Bushing			
2	0000 958 1900	1	Washer A19.9			
3	4205 700 2505	1	V-belt pulley	4		
4	9529 003 4681	1	Needle cage 2020-2			
5	9490 000 7892	1	Narrow V-belt 9.5x912LW			
5	9490 000 7895	1	Narrow V-belt 10x960LW for TS 760 with Ø 400 mm / 16" guard (2)			
6	1111 162 8901	1	Washer A13			
	1111 160 2001	1	Clutch	7 - 9		
7	1111 162 3201	1	Carrier			
8	1111 160 1502	3	Clutch shoe			
9	0000 997 6002	3	Tension spring			
10	1111 162 8902	1	Washer			
11	9211 260 1470	1	Hexagon nut M12x1.5			
12	1111 021 1606	1	Cover plate			
13	9062 319 0650	3	Countersunk screw M4x10			
14	4205 700 1205	1	Cast arm	15, 16		
15	4205 967 1503	1	Model plate TS 760 (2)			
16	4205 967 1502	1	Model plate TS 510 (1)			
17	* 0000 967 1519	1	Model plate TS 510 AVE (1)		24097470	26.1996
18	* 4205 967 1501	1	Model plate TS 760 AVE (2)		24097470	26.1996
19	* 0000 974 1000	2	Round head rivet 3x6		24097470	26.1996
20	4205 700 1210	1	Cast arm for TS 760 with Ø 400 mm / 16" guard (2)	15		
21	9022 341 1430	2	Spline screw IS-M6x50			
22	9210 260 1100	1	Hexagon nut M8			
23	4205 790 9301	1	Rubber buffer			
24	9037 319 1750	1	Socket head screw M8x12			

(1) TS 510, (2) TS 760



328ET081 SC

Rewind starter


Referen ce	Item number	Qty	Description	Contains	Up to	Technical Information
	4205 080 2100	1	Fan housing with rewind starter	1 - 10, 12 - 15		
1	1111 080 1820	1	Fan housing	2		
2	1110 084 9102	1	Bushing			
3	1111 080 3100	1	Fan cover	4, 5		
4	0000 967 2020	1	Nameplate STIHL			
5	0000 974 1000	2	Round head rivet 3x6			
6	9022 313 0680	3	Pan head screw IS M4x16			
7	1117 190 0601	1	Rewind spring	8		
8	1117 195 0301	1	Spring housing			
9	1117 007 1014	1	Rope rotor kit	10		
10	1124 195 7200	1	Pawl			
11	* 1117 195 7200	1	Pawl (1)		15394025	
12	1118 162 8935	1	Washer			
13	1117 195 3500	1	Spring			
14	0000 190 3414	1	Starter grip ElastoStart Ø 4.5 mm	15		
15	0000 190 2901	1	Starter rope Ø 4.5 mm			
	0000 930 2295	1	Starter rope Ø 4.5mm / 28 pieces (B)			
16	* 1121 195 3400	1	Starter grip		24093968	26.1996
17	* 1107 195 8200	1	Starter rope Ø 4.5x1000 mm		24093968	26.1996
	* 0000 930 2200	1	Starter rope Ø 4.5 mm x 30.5 m (B)		24093968	26.1996
	* 0000 930 2213	1	Starter rope Ø 4.5 mm x 60.8 m (B)			
18	9022 371 1050	4	Spline screw IS- M5x25			
19	0000 958 0503	2	Washer			
20	4205 350 0501	1	Filler cap	21 - 23		
21	9645 945 2820	1	O-ring 25x2.5			
22	1117 350 0905	1	Filler cap retainer			
23	9099 021 2360	1	Self-tapping screw 3.5x9.5			
24	0000 967 3693	1	Warning pictogram Filler cap USA			

(1) TS 510, (2) TS 760

Rewind starter

Reference		Item number	Qty	Description	Contains	Up to	Technical Information
25	*	1110 350 0501	1	Filler cap	21 - 23, 26, 27	17609548	
26	*	1110 353 8102	1	Insert		17609548	
27	*	1120 358 8105	1	Vent insert		17609548	

Ignition system



328ET079 SC


Ignition system

Reference		Item number	Qty	Description	Contains	Up to	Technical Information
1		1111 404 1204	1	Flywheel			25.2005
2		9210 261 1140	1	Hexagon nut M8x1			
3		1111 400 1301	1	Ignition coil	4 - 8		
4			1	Ignition lead 320 mm (D)			
		0000 405 0600	1	Ignition lead 1 m (B)			
		0000 930 2251	1	Ignition lead 10 m (B)			
5		0000 989 1010	1	Grommet			
6		1110 442 7000	1	Contact sleeve (C)			
7		1111 448 1200	1	Lead retainer			
8		0000 989 0808	1	Grommet			
9	*	1111 400 1303	1	Ignition module	5, 6, 10	24073217	33.1995
10	*		1	Ignition lead 290 mm (D)		24073217	33.1995
11		4205 400 1001	1	Trigger unit for Ø 400 mm / 16" guard (2)			
11		4205 400 1001	1	Trigger unit for Ø 300/350 mm / 12"/14" guard			
12		4205 400 1002	1	Trigger unit USA, CDN for Ø 300/350 mm / 12"/14" guard			
13	*	1118 400 1001	1	Trigger unit			
14	*	9045 371 0960	2	Socket head screw M5x12			
15		9041 216 0300	1	Pan head screw M3x4			
16		9027 068 1480	1	Flat head screw M6x75			
17		9214 320 0900	1	Lock nut M6			
18		1111 405 8800	1	Hose			
19		9022 371 1020	3	Spline screw IS-M5x20			
20		9291 021 0120	3	Washer 5.3			
21		0000 350 3500	1	Pickup body			
22		4205 350 3600	1	Hose	23, 24		
23		1110 353 8102	1	Insert			
24		1120 358 8105	1	Vent insert			
25	*	1111 358 7700	1	Hose		17609548	

(1) TS 510, (2) TS 760

Ignition system

Reference		Item number	Qty	Description	Contains	Up to	Technical Information
26	*	1111 353 2500	1	Elbow connector		17609548	
27		4205 353 5900	1	Tank vent			
28			1	Hose 3.1x5.7x135 mm, R3 (D)			
29			1	Hose 3.1x5.7x365 mm / 14 3/8", R3 (D)			
29	*		1	Hose 3.1x5.7x325 mm, R3 (D)			
		0000 930 2803	1	Hose 3.1x5.7 mm x 1 m, R3 (B)			
		0712 923 8004	1	Hose 3.1x5.7 mm x 10 m, R3 (B)			
30		4205 647 9100	1	Grommet			
31		4205 141 8602	1	Hose 200 mm / 7 7/8"			
32	*	0000 350 3502	1	Pickup body			



Throttle control


Referen ce	Item number	Qty	Description	Contains	Up to	Technical Information
1	1111 129 1400	2	Gasket 0.5 mm (1)			
2	1111 146 7400	1	Deflecting plate (1)			
3	1111 120 2203	1	Flange (1)			
4	9022 341 1070	2	Spline screw IS- M5x30			
5	9121 319 1120	2	Stud M5x55			
6	1111 129 1100	1	Gasket			
7	4205 120 0601	1	Carburetor HS-277A			
8	* 4205 120 0600	1	Carburetor HS-212B		24097470	26.1996
9	4205 120 0602	1	Carburetor HS-280D USA (1)			
10	4205 120 0603	1	Carburetor HS-281D USA (2)			
11	1110 149 1200	1	Gasket			
12		1	Hose 3.1x5.7x120 mm, R3 (D)			
	0000 930 2803	1	Hose 3.1x5.7 mm x 1 m, R3 (B)			
	0712 923 8004	1	Hose 3.1x5.7 mm x 10 m, R3 (B)			
13	4205 122 2500	1	Hose clip			
14	1111 185 2001	1	Choke lever			
15	9516 003 1730	1	Ball Ø 4 mm			
16	1108 122 3001	1	Spring			
17	1111 182 1501	1	Throttle rod			
18	0000 951 2600	1	Oval head screw M4x10			
19	9022 341 1010	1	Spline screw IS- M5x18			
20	1111 148 4000	1	Strap			
21	1111 185 1900	1	Choke rod			
22	1111 430 0202	1	Stop switch available in Brazil only			
22	1111 430 0210	1	Stop switch			
23	1110 432 9200	1	Grommet			
24	9211 260 1430	1	Hexagon nut M12x0.75			
25	1111 129 1401	2	Gasket 0.5 mm (2)			

(1) TS 510, (2) TS 760

Throttle control

Reference	Item number	Qty	Description	Contains	Up to	Technical Information
26	1111 146 7401	1	Deflecting plate (2)			
27	1111 120 2201	1	Flange (2)			
	1111 007 1050	1	Set of gaskets (1)	1, 6, 11		
	1111 007 1052	1	Set of gaskets available in Brazil only (1)	1, 6, 11		
	1111 007 1051	1	Set of gaskets (2)	6, 11, 25		


(1) TS 510, (2) TS 760



328ET073 SC

Filter housing, Air filter

Reference	Item number	Qty	Description	Contains	Up to	Technical Information
1	4205 140 2850	1	Filter housing	9		
2	4205 647 9100	1	Grommet			
3	4205 149 0501	1	Gasket			
4	9216 261 0700	2	Hexagon nut M5			
5	4205 122 4000	1	Hose			
6	4205 140 1100	1	Filter flange	7, 8		
7	9645 945 7457	1	O-ring 5x1.5			
8	9121 347 1370	1	Stud M6x30			
9	9022 341 1010	3	Spline screw IS-M5x18			
	4221 007 1002	1	Air filter kit (B) USA	10 - 12		
10	4221 140 1800	1	Auxiliary filter			
11	4221 140 4400	1	Air filter			
12	4221 141 0310	1	Prefilter			
13	4205 141 0502	1	Filter cover			
14	4221 140 9500	1	Slotted nut			
15	* 4201 146 7000	2	Washer (1)			
16	* 4205 140 2803	1	Filter housing	17, 18	24097470	26.1996
17	* 1115 121 7700	1	Guide piece		24097470	26.1996
18	* 4205 149 0500	1	Gasket		24097470	26.1996
19	* 1110 122 6201	1	Idle speed screw		24097470	26.1996
20	* 0000 997 0326	1	Compression spring		24097470	26.1996
21	* 9121 319 1500	2	Stud M6x85		24097470	26.1996
22	* 4201 140 1801	1	Auxiliary filter		24097470	26.1996
23	* 4201 141 0300	1	Main filter		24097470	26.1996
24	* 4201 149 0501	1	Gasket		24097470	26.1996
25	* 4205 140 1000	1	Filter cover	24	24097470	26.1996
26	* 9247 808 0900	2	Wing nut M6		24097470	26.1996




328ET009 SC

Carburetor HS-277

Reference	Item number	Qty	Description	Contains
	4205 120 0601	1	Carburetor HS-277A	1 - 36
1	1110 122 9410	1	Plug	
2	1110 122 3020	1	Spring	
3	1110 121 5100	1	Inlet needle	
4	1124 121 5000	1	Inlet control lever	
5	1110 121 9200	1	Spindle	
6	1110 122 7801	1	Oval head screw	
7	1111 121 5400	1	Valve jet	
8	1110 129 0900	1	Gasket	
9	1110 121 4700	1	Metering diaphragm	
10	1106 122 7400	4	Round head screw	
11	4205 121 0800	1	End cover	
12	4221 121 7800	1	Strainer	
13	4223 122 3600	2	Sealing ring	
14	1110 122 3030	2	Spring	
15	4205 122 6700	1	High speed screw	
16	4205 122 6800	1	Low speed screw	
17	4221 122 4200	1	Ball	
18	4221 122 6200	1	Idle speed screw	
19	4205 120 7200	1	Choke shaft with lever	
20	4205 122 3200	1	Torsion spring	
21	4221 121 9400	2	Ring	
22	4221 122 3605	2	Sealing ring	
23	1110 122 9005	2	E-clip	
24	4221 120 7100	1	Throttle shaft with lever	
25	4221 122 9100	2	Bushing	
26	4221 122 3200	1	Torsion spring	
27	4221 121 8600	1	Washer	
28	4205 120 8705	1	Control valve	
29	1110 129 3000	1	Sealing ring	
30	1110 121 4800	1	Pump diaphragm	
31	1110 129 1110	1	Gasket	
32	1110 121 0815	1	End cover	
33	1110 122 7700	4	Oval head screw	
34	1115 121 2900	1	Choke shutter	
35	1110 122 7400	2	Round head screw	
36	1115 121 3300	1	Throttle shutter	
	1115 007 1060	1	Set of carburetor parts	8, 9, 30, 31


(1) TS 510, (2) TS 760



328ET074 SC

Carburetor HS-212 → X 24 097 470 (26.96)

Referen ce	Item number	Qty	Description	Contains	Up to	Technical Information
	* 4205 120 0600	1	Carburetor HS-212B	1 - 31	24097470	26.1996
1	* 1110 122 9410	1	Plug		24097470	26.1996
2	* 1110 122 3020	1	Spring		24097470	26.1996
3	* 1110 121 5100	1	Inlet needle		24097470	26.1996
4	* 1124 121 5000	1	Inlet control lever		24097470	26.1996
5	* 1110 121 9200	1	Spindle		24097470	26.1996
6	* 1110 122 7801	1	Oval head screw		24097470	26.1996
7	* 1111 121 5400	1	Valve jet		24097470	26.1996
8	* 1110 129 0900	1	Gasket		24097470	26.1996
9	* 1110 121 4700	1	Metering diaphragm		24097470	26.1996
10	* 1111 121 0803	1	End cover		24097470	26.1996
11	* 1106 122 7400	6	Round head screw		24097470	26.1996
12	* 1106 122 3000	1	Spring		24097470	26.1996
13	* 1111 122 6700	1	High speed screw		24097470	26.1996
14	* 1110 122 3030	1	Spring		24097470	26.1996
15	* 1110 122 6800	1	Low speed screw		24097470	26.1996
16	* 1111 120 7200	1	Choke shaft with lever		24097470	26.1996
17	* 1110 122 3200	1	Torsion spring		24097470	26.1996
18	* 1111 120 7100	1	Throttle shaft with lever		24097470	26.1996
19	* 1115 121 3300	1	Throttle shutter		24097470	26.1996
20	* 4221 121 7800	1	Strainer		24097470	26.1996
21	* 1110 121 4800	1	Pump diaphragm		24097470	26.1996
22	* 1110 129 1110	1	Gasket		24097470	26.1996
23	* 1110 121 0815	1	End cover		24097470	26.1996
24	* 1110 122 7700	4	Oval head screw		24097470	26.1996
25	* 1110 122 9300	1	Clip		24097470	26.1996
26	* 1110 122 7400	1	Round head screw		24097470	26.1996
27	* 1110 129 3000	1	Sealing ring		24097470	26.1996
28	* 4205 120 8700	1	Control valve		24097470	26.1996
29	* 1108 122 3001	1	Spring		24097470	26.1996
30	* 1110 122 4200	1	Ball		24097470	26.1996
31	* 1115 121 2900	1	Choke shutter		24097470	26.1996



328ET076 SC


Carburetor HS-280, HS-281

Reference	Item number	Qty	Description	Contains
	4205 120 0602	1	Carburetor HS-280D USA (1)	1 - 38
	4205 120 0603	1	Carburetor HS-281D USA (2)	1 - 38
1	4221 121 7800	1	Strainer	
2	1110 121 4800	1	Pump diaphragm	
3	1110 129 1110	1	Gasket	
4	1110 121 0815	1	End cover	
5	1110 122 7700	4	Oval head screw	
6	1110 122 3020	1	Spring	
7	4116 121 5100	1	Inlet needle	
8	1124 121 5000	1	Inlet control lever	
9	1110 121 9200	1	Spindle	
10	1110 122 7801	1	Oval head screw	
11	4221 121 5400	1	Valve jet	
12	4205 121 5601	1	Fixed jet 0.61	
13	1110 122 9410	1	Plug	
14	1110 129 0900	1	Gasket	
15	1110 121 4700	1	Metering diaphragm	
16	4205 121 0800	1	End cover	
17	1106 122 7400	4	Round head screw	
18	1115 121 2900	1	Choke shutter	
19	1110 122 7400	2	Round head screw	
20	1115 121 3300	1	Throttle shutter	
22	4205 122 3000	2	Spring	
23	4205 122 6701	1	High speed screw	
24	4205 121 2700	2	Cap	
25	4205 122 6801	1	Low speed screw	
26	4221 122 4200	1	Ball	
27	4221 122 6200	1	Idle speed screw	
28	4221 122 3605	2	Sealing ring	
29	4221 121 9400	2	Ring	
30	4205 122 3200	1	Torsion spring	
31	4205 120 7200	1	Choke shaft with lever	
32	1110 122 9005	2	E-clip	
33	1110 129 3000	1	Sealing ring	
34	4205 120 8701	1	Control valve	
35	4221 121 8600	1	Washer	
36	4221 122 9100	2	Bushing	
37	4221 122 3200	1	Torsion spring	

(1) TS 510, (2) TS 760

Carburetor HS-280, HS-281

Reference	Item number	Qty	Description	Contains
38	4221 120 7101	1	Throttle shaft with lever	
39	5910 890 4500	1	Puller (B)	
	1115 007 1060	1	Set of carburetor parts	2, 3, 14, 15



328ET082 SC


Shroud, Handle frame

Reference	Item number	Qty	Description	Contains
1	4205 080 1600	1	Shroud	
2	1110 145 9001	2	Plug	
3	9022 341 1010	12	Spline screw IS-M5x18	
4	9027 068 1480	1	Flat head screw M6x75	
5	1111 790 9915	2	Annular buffer	
6	1111 791 7600	1	Support	
7	1111 791 2700	1	Tube	
8	9214 320 0900	1	Lock nut M6	
9	1111 791 4902	1	Handle frame	
10	1111 791 2201	1	Rubber grip	
11	0000 998 1000	1	Torsion spring	
12	1111 182 1002	1	Throttle trigger	
13	9373 542 2610	1	Cylindrical pin 5x18	
14	1114 182 8900	1	Pin	
15	0000 997 0603	1	Compression spring	
16	1111 182 9300	1	Starting throttle lock	
17	0000 998 0802	1	Torsion spring	
18	1111 182 0800	1	Lockout lever	
19	9371 470 2110	1	Cylindrical pin 4x16	
20	1111 790 1700	1	Handlebar with hose	21
21		1	Handle hose 320 mm /12 5/8"	
	0000 791 2005	1	Handle hose Ø 23 mm x 5m / 1x197" (B)	
22	4205 791 7602	1	Support	
23	4201 791 8600	1	Thrust washer	
24	9007 319 1930	1	Hexagon head screw M8x45	
25	1111 791 1901	1	Handlebar support	
26	1111 790 9905	2	Annular buffer	
27	1111 791 9800	1	Washer	
28	9022 341 1090	1	Spline screw IS-M5x40	
29	1111 146 6009	1	Guard	
30	9210 260 1100	1	Hexagon nut M8	
31	4205 790 9301	1	Rubber buffer	
32	9037 319 1750	2	Socket head screw M8x12	
33	0000 958 0503	1	Washer	
34	4205 145 9000	1	Plug USA	
35	4205 790 9300	1	Rubber buffer	
36	* 4205 791 7601	1	Support	
37	* 4205 791 7400	1	Strap	

(1) TS 510, (2) TS 760

Shroud, Handle frame

Reference		Item number	Qty	Description	Contains
38	*	9041 216 1350	2	Pan head screw M6x25	
39		0000 967 3702	1	Warning pictogram TS	
40		0000 967 3502	1	Instruction label USA	



328ET085 SC


Support with guard

Reference	Item number	Qty	Description	Contains
	4223 007 1005	1	Support with guard Ø 300 mm / 12" available in Brazil only	1 - 23
1	4238 700 8110	1	Guard Ø 300 mm / 12"	
2	4201 700 2504	1	V-belt pulley	
3	4205 791 3902	1	Support	
4	9456 621 3600	2	Circlip 32x1.2	
5	9503 003 6440	2	Grooved ball bearing 6201-2RS	
6	0000 961 1206	1	Ring	
7	4201 704 0504	1	Shaft	
8	4223 036 8600	1	Woodruff key	
9	4201 706 9202	2	Washer	
10	4221 706 8800	1	Rubber ring	
11	4221 706 8801	1	Rubber ring	
12	4223 700 2900	1	Adjusting lever	
13	9022 341 0960	4	Spline screw IS-M5x12	
14	4205 706 2903	1	Flange	
15	4223 710 9500	1	Adjusting screw (quantity as required)	16
16	0000 997 1303	1	Compression spring (quantity as required)	
17	0000 958 1212	1	Washer	
18	9291 021 0200	1	Washer 10.5	
19	9211 260 1350	1	Hexagon nut M10x1 l/h thread	
20	9450 721 2150	1	E-clip 20x1.2	
21	4201 708 8402	1	Hexagon head screw M10x18	
22	4201 708 3004	1	Thrust washer Ø 103 mm	
23	4201 708 3014	1	Thrust washer Ø 103 mm	
	4223 007 1008	1	Support with guard Ø 300 mm / 12" USA	1 - 27, 44
	4223 007 1016	1	Support with guard Ø 300 mm / 12" (C) CDN	1 - 27, 46
24	4201 790 6005	1	Limit stop USA, CDN	
25	4201 790 9302	1	Rubber buffer USA, CDN	
26	9041 216 1230	1	Pan head screw M6x8 USA, CDN	
27	9062 319 1260	1	Countersunk screw M6x12 USA, CDN	
	4221 007 1008	1	Support with guard Ø 350 mm / 14" with water attachment	2 - 23, 28
	4221 007 1012	1	Support with guard Ø 350 mm / 14" USA, CDN	2 - 28, 45
	4221 007 1013	1	Support with guard Ø 350 mm / 14" with water attachment, J, AUS	2 - 21, 28, 29, 31
28	4224 700 8103	1	Guard Ø 350 mm / 14"	
29	4205 708 3000	1	Thrust washer Ø 118 mm J	
30	4205 708 3001	1	Thrust washer Ø 140 mm J	

(1) TS 510, (2) TS 760

Support with guard


Reference	Item number	Qty	Description	Contains
31	4205 708 3010	1	Thrust washer Ø 118 mm J	
32	4205 708 3011	1	Thrust washer Ø 140 mm J	
33	4201 700 8116	1	Guard	
34	4201 760 9500	1	Adjusting screw	
35	4201 708 8401	2	Hexagon head screw M8x42	
36	4224 700 8105	1	Guard Ø 400 mm / 16" for TS 760 with Ø 400 mm / 16" guard	
37	4205 791 3903	1	Support for TS 760 with Ø 400 mm / 16" guard	
38	9022 341 1260	1	Spline screw IS-M6x12 for TS 760 with Ø 400 mm / 16" guard	
39	4205 792 9400	1	Limit stop USA, CDN for TS 760 with Ø 400 mm guard	
40	4205 704 1004	1	V-belt pulley for TS 760 with Ø 400 mm / 16" guard	
41	4205 706 8105	1	V-belt guard for TS 760 with Ø 400 mm / 16" guard	
42	0000 708 4200	1	Shaft sleeve (B)	
43	0000 967 3699	1	Instruction label USA for Ø 400 mm / 16" guard	
44	0000 967 3577	1	Instruction label USA for Ø 300 mm / 12" guard	
45	0000 967 3578	1	Instruction label USA for Ø 350 mm / 12" guard	
46	0000 967 3522	1	Instruction label CDN	



336ET003 SC

Water attachment


Reference	Item number	Qty	Description	Contains
	4205 007 1015	1	Water attachment kit (B)	1 - 6, 8 - 18
1	4205 708 8200	1	Bracket	
2	9022 341 1090	2	Spline screw IS-M5x40	
3	4201 700 4500	1	Shut-off cock 1/4"	
4	0000 954 1701	1	Sealing ring	
5	4238 677 8200	1	Connector	
6	9771 021 0921	4	Hose clip 10/7	
7	* 9771 021 0920	4	Hose clip 9.5/7	
8		1	Hose 5.6x1.9x356 mm / 14" (D)	
9		1	Hose 5.6x1.9x220 mm / 8 11/16" (D) for Ø 350 mm / 14" guard	
10		1	Hose 5.6x1.9x270 mm / 10 5/8" (D) for Ø 400 mm / 16" guard	
	0000 937 4049	1	Hose 5.6x1.9 mm x 1 m (A,B)	
11	4224 677 8202	1	Connector	
12	4224 677 8201	1	Connector	
13	4201 708 8400	2	Banjo bolt	
14	9041 216 0950	2	Pan head screw M5x10	
15	9211 021 8900	2	Hexagon nut G 1/8"	
16	4201 700 7300	1	Hose connector	17
17	9645 945 7506	1	O-ring 10x3	
18	4201 670 1700	1	Coupling sleeve 1/2"	
19	4201 670 1705	1	Coupling sleeve 3/4"	
20	4201 670 1701	1	Coupling sleeve 3/4" USA	
21	* 4201 708 8600	1	Nut	
22	* 4201 708 3100	1	Union nut	
23	* 0000 989 5215	1	Hose 340 mm / 13 7/16"	
24	* 4201 677 1007	1	Union	
25	* 4201 678 1111	1	Hose 195 mm / 7 1/2"	
26	* 4201 678 1113	1	Hose 300 mm / 11 13/16" for TS 760 with Ø 400 mm / 16" guard	
27	* 4201 677 1008	1	Elbow union 1/8"	



4238-GET-0045-A1

Pressurized water tank


Reference	Item number	Qty	Description	Contains
1	0000 670 6000	1	Water tank (B)	2 - 10
2	0000 670 6600	1	Pump barrel (B)	3
3	0000 676 0500	1	Funnel (B)	
4	0000 670 7702	1	Handle (B)	
5	0000 670 5000	1	Valve (B)	
6	0000 670 0300	1	Hose (B)	7 - 9
7	4309 678 1100	1	Hose 4 m / 158" (B)	
8	0000 670 0400	1	Strainer (B)	
9	4201 670 1700	1	Coupling sleeve 1/2" (B)	
10	0000 967 7304	1	Warning pictogram (B)	
11	0000 007 1601	1	Set of gaskets (B)	



337ET021 GM

Pressurized water tank (28.2010)


Reference	Item number	Qty	Description	Contains	Technical Information
	* 4223 670 6000	1	Water tank (B,C)	1 - 14	28.2010
	* 4223 670 6001	1	Water tank (B,C) USA	1 - 15	28.2010
1	* 4223 670 6010	1	Water tank (B)	12, 13	28.2010
2	* 4223 670 7700	1	Handle (B)	3	28.2010
3	* 9645 945 7560	1	O-ring 14x1.78 (B)		28.2010
4	* 4223 670 8600	1	Filler cap (B)	5	28.2010
5	* 9645 945 8240	1	O-ring 56.5x 5.33 (B)		28.2010
6	* 4223 670 8200	1	Piston (B)	7	28.2010
7	* 9645 945 7958	1	O-ring 37.5x3.15 (B)		28.2010
8	* 4223 670 6600	1	Pump barrel (B)	9	28.2010
9	* 4223 678 2600	1	Valve (B)		28.2010
10	* 4223 670 5000	1	Valve (B)	11	28.2010
11	* 9645 945 7494	1	O-ring 8.76x1.78 (B)		28.2010
12	* 4223 677 8300	2	Union nut (B)		28.2010
13	* 4223 678 1600	1	Insert (B)		28.2010
14	* 4309 678 1100	1	Hose 4 m / 158" (B)		28.2010
15	* 4201 670 1700	1	Coupling sleeve 1/2" (B)		28.2010



330ET052 GM

Cutquik cart, Splash guard


Reference	Item number	Qty	Description	Contains	Technical Information
	4201 710 1403	1	Cutquik cart (B)	1 - 6, 8 - 12, 17 - 24	
1	4201 790 2300	1	Guide tube (B)		
2	4201 967 4200	1	Tag (B)		
3	4201 792 9500	1	Adjustable strap (B)		
4	9045 319 1800	2	Socket head screw M8x20 (B)		
5	9291 021 0180	2	Washer 8.4 (B)		
6	4201 708 8402	1	Hexagon head screw M10x18 (B)		
7	* 4201 791 9500	1	Rubber bushing (B)		
8	4201 711 0903	1	Axle (B)		
9	4201 790 5700	2	Wheel (B)	10, 11	
10	0000 988 1900	2	Felt ring (B)		
11	4201 791 9200	2	Cap (B)		
12	9455 621 2150	4	Circlip 20x1.2 (B)		
13	* 4201 710 3000	2	Wheel (B)		38.1995
14	* 0000 988 1900	4	Felt ring (B)		38.1995
15	* 4201 717 2001	4	Cap (B)		38.1995
16	* 4201 717 2000	4	Cap (B)		
17	4201 790 6300	1	Counterweight (B)		
18	9008 319 1830	1	Hexagon head screw M8x25 (B)		
19	4201 708 8405	1	Hexagon head screw M10x70 (B)		
	4201 007 1033	1	Splash guard mounting kit (B)	20 - 24	
20	4201 792 9100	1	Guard (B)		
21	4201 792 6000	1	Bracket (B)		
22	9079 319 0960	2	Flat head screw M5x12 (B)		
23	4201 792 9501	1	Strap (B)		
24	9039 488 0680	4	Self-tapping screw M4x16 (B)		
	* 4201 007 1029	1	Conversion kit adjustable strap (B)	2 - 5	

Guide wheel kit, Wheel kit


338ET045 SC

Guide wheel kit, Wheel kit


Reference	Item number	Qty	Description	Contains
1	4201 790 6300	1	Counterweight (B)	14
	4205 007 1009	1	Guide wheel kit (B)	2 - 14
2	4205 791 5400	1	Support (B)	
3	4201 790 2100	1	Frame (B)	
4	9007 319 2020	1	Hexagon head screw M8x85 (B)	
5	9214 320 1100	1	Lock nut ISO7042 M8-10 (B)	
6	4205 791 7200	2	Sleeve (B)	
7	4205 791 2701	1	Tube (B)	
8	0000 792 4200	1	Retaining strap (B)	
9	4205 710 9300	1	Wing screw (B)	
10	4201 711 0904	1	Axle (B)	
11	4137 712 1001	1	Wheel (B)	
12	9455 621 1920	1	Circlip 18x1.2 (B)	
13	4205 791 8400	2	Ring (B)	
14	9008 319 1800	2	Hexagon head screw M8x20 (B)	
	4223 007 1014	1	Wheel mounting kit (B)	15 - 24
15		1	Carrier TS 400 (B,D)	
16	4223 791 7200	2	Sleeve (B)	
17	4223 791 3600	2	Wheel (B)	
18	9307 021 0120	2	Washer 5.3 (B)	
19	9022 341 1070	2	Spline screw IS-M5x30 (B)	
20		1	Carrier TS 460 (B,D)	
21	9210 260 1100	2	Hexagon nut M8 (B)	
22	9037 319 1900	2	Socket head screw M8x40 (B)	
23	9037 319 1780	2	Socket head screw M8x16 (B)	
24		1	Carrier TS 510/760 (B,D)	
25	9037 319 1750	2	Socket head screw M8x12 (B)	
26	4223 791 7605	1	Support (B)	



328ET062 SC

Stop depth wheel, Cart for cutquik


Reference	Item number	Qty	Description	Contains	Technical Information
	4201 007 1041	1	Depth wheel kit (B)	1, 3 - 8, 10 - 12	
1	4201 712 1005	1	Wheel Ø 142 mm (B)		
2	* 4201 710 3000	1	Wheel (B)	3, 4	38.1995
3	0000 988 1900	2	Felt ring (B)		
4	4201 717 2001	2	Cap (B)		
5	9455 621 2150	1	Circlip 20x1.2 (B)		
6	4201 711 8500	1	Stud (B)		
7	4201 711 8501	1	Stud (B)		
8	4201 711 0700	1	Swivel arm (B)		
9	* 9291 021 0180	1	Washer 8.4 (B)		38.1995
10	9582 003 0471	1	Clamp lever M8 (B)		
11	9220 260 1100	1	Hexagon nut M8 (B)		
12	4201 711 0901	1	Axle (B)		
	4205 007 1008	1	Mounting kit Cutquik cart (B)	13 - 26	
13	4201 180 0700	1	Control lever (B)		
14	9008 319 1780	2	Hexagon head screw M8x16 (B)		
15	4201 790 9300	2	Rubber insert (B)		
16	9291 021 0180	1	Washer 8.4 (B)		
17	9123 319 1900	2	Stud M8x40 (B)		
18	9210 260 1100	2	Hexagon nut M8 (B)		
19	9131 216 1780	1	Grub screw M8x16 (B)		
20	4201 180 1100	3	Throttle cable (B)	21 - 24	
21	4308 182 8800	2	Terminal sleeve (B)		
22	9793 003 0030	1	Grease nipple D (B)		
23	0000 997 0427	2	Compression spring (B)		
24	0000 937 3000	1	Screw nipple (B)		
25	4201 180 1800	1	Throttle control (B)		
26	4201 180 2200	1	Rubber strap (B)		



328ET021 LÄ

Water tank

Reference	Item number	Qty	Description	Contains
	4201 007 1048	1	Water tank mounting kit (B)	1 - 20
1	4201 701 0800	1	Water tank (B)	
2	4201 700 6250	1	Valve (B)	3 - 5
3	9645 948 0340	1	O-ring 6x1.5 (B)	
4		1	Valve (B,D)	
5	9636 965 1960	1	Sealing ring 18x24 (B)	
6	9208 260 1660	1	Hexagon nut M16 (B)	
7	9645 945 1390	1	O-ring 14x2.5 (B)	
8	4201 708 9600	1	Connector (B)	
9	9307 021 0200	1	Washer 10.5 (B)	
10	4201 700 7400	1	Bracket (B)	11, 12
11	4201 703 2800	2	Plug (B)	
12	9380 620 2700	2	Roll pin 5x30 (B)	
13	4201 708 8405	1	Hexagon head screw M10x70 (B)	
14	9486 648 1195	1	Cup spring 23x10.2x1.25 (B)	
15	4201 677 7400	1	Hose connector (B)	
16	4201 678 1114	1	Hose 545 mm / 21 1/2" (B)	
17	4202 701 0900	1	Container cap (B)	
18	4202 709 2000	1	Sealing ring (B)	
19	4202 700 8805	1	Strainer (B)	20
20		1	Plug (B,C)	




336ET002 SC

Tools


Reference	Item number	Qty	Description	Contains	Technical Information
	4205 890 1401	1	Tool kit	1 - 3	
1	4119 890 3400	1	Combination wrench		
2	4130 893 7800	1	Locking pin		
3	0000 891 0810	1	Tool roll		
4	* 1111 890 3400	1	Combination wrench		33.1995
5	* 0811 270 1080	1	Allen key 4x70x130		33.1995
6	* 0812 260 1008	1	Allen key 5		33.1995
7	* 0811 012 1152	1	Wrench 8x10		33.1995
8	* 0812 032 1016	1	Wrench SW 13		33.1995

(1) TS 510, (2) TS 760



Rewind starter friction shoe → X 6 745 960 (30.80)


Reference	Item number	Qty	Description	Contains	Up to
1	* 1111 080 2801	1	Fan cover (1)	2 - 4	6745960
2	* 1110 084 9102	1	Bushing (1)		6745960
3	* 0000 967 2020	1	Nameplate STIHL (1)		6745960
4	* 0000 974 1000	2	Round head rivet 3x6 (1)		6745960
5	* 1121 195 3400	1	Starter grip (1)		6745960
6	* 1107 195 8200	1	Starter rope Ø 4.5x1000 mm (1)		6745960
	* 0000 930 2200	1	Starter rope Ø 4.5 mm x 30.5 m (B) (1)		6745960
	* 0000 930 2213	1	Starter rope Ø 4.5 mm x 60.8 m (B) (1)		6745960
7	* 0000 988 2405	1	Felt ring (1)		6745960
8	* 1111 195 1300	1	Cover (1)		6745960
9	* 1111 195 1600	1	Rewind spring (1)		6745960
10	* 1111 195 9005	1	Washer (1)		6745960
11	* 1111 190 1000	1	Rope rotor (1)	12	6745960
12	* 1106 195 9800	4	Notched pin (1)		6745960
13	* 1106 195 9001	2	Washer (1)		6745960
14	* 0000 958 1010	2	Washer (1)		6745960
	* 1106 190 4600	1	Friction shoe (1)	15 - 19	6745960
15	* 1106 195 3000	1	Brake lever (1)		6745960
16	* 1106 195 5000	2	Friction shoe plate (1)		6745960
17	* 1106 195 5100	2	Friction shoe spring (1)		6745960
18	* 1106 195 1700	2	Spring retainer plate (1)		6745960
19	* 1106 195 2900	1	Brake spring (1)		6745960
20	* 1106 195 3200	1	Thrust washer (1)		6745960
21	* 9460 624 0500	1	E-clip 5 (1)		6745960
22	* 1111 084 1000	1	Fan housing (1)		6745960
23	* 1111 353 0700	1	Gasket (1)		6745960
24	* 9048 319 0660	10	Pan head screw M4x12 (1)		6745960
25	* 0000 989 0804	1	Grommet (1)		6745960
26	* 1111 404 1202	1	Flywheel (1)		6745960
27	* 1111 195 4100	1	Starter cup (1)		6745960
28	* 1111 195 9300	1	Ring (1)		6745960
29	* 9048 319 0660	4	Pan head screw M4x12 (1)		6745960



337ET013 LÄ

Pressurized water tank (23.96)

Reference	Item number	Qty	Description	Contains	Technical Information
1	* 4309 670 6002	1	Water tank (B,C)	2 - 18	23.1996
2	* 4309 670 6500	1	Handle with rod (B)	3 - 8	23.1996
3	* 4309 676 2500	1	Spring (B)		23.1996
4	* 9062 319 0630	2	Countersunk screw M4x8 (B)		23.1996
5	* 4309 676 2600	1	Piston rod guide (B)		23.1996
6	* 9223 260 1100	1	Square nut M8 (B)		23.1996
7	* 4309 676 2700	1	Piston (B)		23.1996
8	* 4309 679 0400	1	Piston packing (B)		23.1996
9	* 4309 676 2800	1	Shroud (B)		23.1996
10	* 4309 670 6600	1	Pump barrel (B)	11 - 13	23.1996
11	* 9645 945 8024	1	O-ring 42x4 (B)		23.1996
12	* 4309 670 4500	1	Insert (B)	13	23.1996
13	* 4309 678 1700	1	Spring (B)		23.1996
14	* 4309 678 1000	1	Pressure gauge (B)		23.1996
15	* 4309 679 0300	3	Sealing ring (B)		23.1996
16	* 4309 678 1500	1	Safety valve (B)		23.1996
17	* 4309 676 3000	1	Guard ring (B)		23.1996
18	* 4309 678 1900	1	Hose nipple (B)		23.1996
19	* 9771 021 1400	1	Hose clip 14-9 (B)		23.1996
20	* 4309 678 1100	1	Hose 4 m / 158" (B)		23.1996
21	* 4201 670 1700	1	Coupling sleeve 1/2" (B)		23.1996
22	* 4201 700 7300	1	Hose connector (B)	23	23.1996
23	* 9645 945 7506	1	O-ring 10x3 (B)		23.1996
24	* 4201 670 1705	1	Coupling sleeve 3/4" (B)		23.1996

Support with guard (38.1995)


328ET033 GM


Support with guard (38.1995)

Referen ce	Item number	Qty	Description	Contains	Technical Information
	* 4201 007 1035	1	Support with guard Ø 300 mm / 12" (C)	1 - 27	38.1995
1	* 4201 700 8103	1	Guard Ø 300 mm / 12"		38.1995
2	* 4205 791 3901	1	Support		38.1995
3	* 9456 621 3600	2	Circlip 32x1.2		38.1995
4	* 9503 003 6440	2	Grooved ball bearing 6201-2RS		38.1995
5	* 0000 961 1206	1	Ring		38.1995
6	* 4201 704 0504	1	Shaft		38.1995
7	* 4201 706 9202	2	Washer		38.1995
8	* 4201 706 9201	2	Washer		38.1995
9	* 4201 706 8801	1	Rubber ring		38.1995
10	* 4205 706 2900	1	Flange		38.1995
11	* 9079 346 0660	9	Flat head screw M5x12		38.1995
12	* 4201 706 2600	1	Adjusting lever		38.1995
13	* 4205 706 2903	1	Flange		38.1995
14	* 9086 216 1320	1	Flat head screw M6x20 (quantity as required)		38.1995
15	* 9486 648 1010	1	Cup spring 15x8.2x0.6 (quantity as required)		38.1995
16	* 0000 958 1212	1	Washer		38.1995
17	* 4223 036 8600	1	Woodruff key		38.1995
18	* 4201 704 1000	1	V-belt pulley		38.1995
19	* 9291 021 0200	1	Washer 10.5		38.1995
20	* 9211 260 1350	1	Hexagon nut M10x1 l/h thread		38.1995
21	* 4201 700 8116	1	Guard		38.1995
22	* 4201 760 9500	1	Adjusting screw		38.1995
23	* 4201 708 8401	2	Hexagon head screw M8x42		38.1995
24	* 9450 721 2150	1	E-clip 20x1.2		38.1995
25	* 4201 708 8402	1	Hexagon head screw M10x18		38.1995
26	* 4201 708 3004	1	Thrust washer Ø 103 mm		38.1995
27	* 4201 708 3014	1	Thrust washer Ø 103 mm		38.1995
	* 4201 007 1040	1	Support with guard Ø 300 mm / 12" (C) USA	1 - 31	38.1995
28	* 4201 790 6005	1	Limit stop		38.1995
29	* 4201 790 9302	1	Rubber buffer		38.1995
30	* 9041 216 1230	1	Pan head screw M6x8		38.1995
31	* 9062 319 1260	1	Countersunk screw M6x12		38.1995

Support with guard (38.1995)

Reference	Item number	Qty	Description	Contains	Technical Information
	* 4205 007 1035	1	Support with guard Ø 350 mm / 14" (C) J	2 - 25, 32 - 34	38.1995
32	* 4205 700 8100	1	Guard Ø 350 mm / 14"		38.1995
33	* 4205 708 3000	1	Thrust washer Ø 118 mm		38.1995
34	* 4205 708 3010	1	Thrust washer Ø 118 mm		38.1995
	* 4205 007 1040	1	Support with guard Ø 350 mm / 14" (C) USA	2 - 32	38.1995
35	* 0000 708 4200	1	Shaft sleeve (B)		38.1995

Water attachment (38.1995)



330ET055 GM

Water attachment (38.1995)

Reference	Item number	Qty	Description	Contains	Technical Information
1	* 4201 700 6801	1	Bracket (B)		38.1995
2	* 9022 313 0710	3	Spline screw IS-M4x20 (B)		38.1995
3	* 4201 676 0801	1	Shut-off cock 1/4" (B)		38.1995
4	* 9636 965 1430	1	Sealing ring 14x18 (B)		38.1995
5	* 4201 677 7802	1	Reducer 1 1/8", A 1/4" (B)		38.1995
6	* 4201 677 1007	1	Union (B)		38.1995
7	* 4201 677 1008	2	Elbow union 1/8" (B)		38.1995
8	* 4201 677 8400	1	Banjo bolt (B)		38.1995
9	* 4201 708 8400	2	Banjo bolt (B)		38.1995
10	* 9041 216 0950	2	Pan head screw M5x10 (B)		38.1995
11	* 9211 021 8900	2	Hexagon nut G 1/8" (B)		38.1995
12	* 4201 678 1110	1	Hose 80 mm / 3 3/16" (B)		38.1995
13	* 4201 678 1111	1	Hose 195 mm / 7 1/2" (B)		38.1995
	* 4201 670 1600	1	Coupling (B)	4, 14 - 16	38.1995
14	* 4201 670 1700	1	Coupling sleeve 1/2" (B)		38.1995
15	* 4201 700 7300	1	Hose connector (B)	16	38.1995
16	* 9645 945 7506	1	O-ring 10x3 (B)		38.1995
17	* 4201 670 1705	1	Coupling sleeve 3/4" (B)		38.1995
18	* 9048 319 0710	3	Pan head screw M4x20 (B)		